


TRU 18



PATENT
Customer No. 22,852
New Attorney Docket No. 08350.1367-01

THE UNITED STATES PATENT AND TRADEMARK OFFICE

In Re Application of:

Scott A. LEMAN

Application No. 10/788,431

Filed: February 27, 2004

For: ENGINE VALVE ACTUATOR

)
)
) Group Art Unit: 3748
)
) Examiner: Kyle M. RIDDLE
)
) Confirmation No. 7015
)
)

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

TRANSMITTAL LETTER

We enclose the following papers for filing in the United States Patent and Trademark Office in connection with the above patent application:

1. Reply to Office Communication of February 22, 2005 and to Notice of Improper Request for Continued Examination (19 pages) with attached replacement drawings of Figs. 2 and 7-9 (3 pages).

The extra claim fee associated with the Reply is calculated below:

	Claims Remaining After Amendment		Highest Number Previously Paid	Present Extra	Rate	Additional Fee
Total	40	-	20	20	x \$ 50	\$ 1,000.00
Indep.	9	-	4	5	x \$200	1,000.00
<input type="checkbox"/> First Presentation of Multiple Dep. Claim(s)					+\$360	0.00
Subtotal						\$ 2,000.00
Reduction by ½ if small entity						- 0.00
TOTAL						\$ 2,000.00


2. Copy of Notice of Improper Request for Continued Examination (1 page).

3. Information Disclosure Statement (2 pages).
4. Form PTO/SB/08 (4 pages).
5. Copy of 31 references corresponding the non-US patent documents listed on the form PTO/SB/08.
6. Revocation of Original Power of Attorney and Grant of New Power of Attorney document (2 pages).
7. Terminal Disclaimer (3 pages).
8. A check for \$2,310.00 to cover the fees below is enclosed.

Extra claims fee (\$2,000.00);
Terminal Disclaimer fee (\$130); and
IDS fee (\$180).

Please grant any extensions of time required to enter this response and charge any additional required fees to our deposit account 06-0916.

Dated: March 21, 2005

By: 
Ryan C. Stockett
Reg. No. 53,642